

6. More on Pointers

14th September

IIT Kanpur

Pointers and arrays

- Pointers and arrays are tightly coupled.

```
char a[] = "Hello World";
```

```
char *p = &a[0];
```

char a[12], *p = &a[0];											
*p	*(p+1)	*(p+2)	*(p+3)	*(p+4)	*(p+5)	*(p+6)	*(p+7)	*(p+8)	*(p+9)	*(p+10)	*(p+11)
a[0]	a[1]	a[2]	a[3]	a[4]	a[5]	a[6]	a[7]	a[8]	a[9]	a[10]	a[11]
H	e	l	l	o		W	o	r	l	d	'\0'

Pointers and arrays contd..

- Name of the array is synonymous with the address of the first element of the array.

```
int *p;  
int sample[10];  
p = sample;           // same as p = &sample[0];
```

```
int *p;  
int sample[10];  
p = sample;  
p[5] = 100;          // Both these statements  
*(p+5) = 100;        // do the same thing
```

Pointers and function arguments

- Functions only receive copies of the variables passed to them.

{program: swap_attempt_1.c}

- A function needs to know the address of a variable if it is to affect the original variable

{program: swap_attempt_2.c}

- Large items like strings or arrays cannot be passed to functions either.

```
printf("hello world\n");
```

- What is passed is the address of “hello world\n” in the memory.

Passing single dimension arrays to functions

- In C, you cannot pass the entire data of the array as an argument to a function.
 - How to pass array then?
 - Pass a pointer to the array.

```
int main() {
    int sample[10];
    func1(sample);
    ...
}
void func1(int *x) {
    ...
}
void func1(int x[10]) {
    ...
}
void func1(int x[]) {
    ...
}
```

2-Dimensional Arrays (Array of arrays)

```
int d[3][2];
```

Access the point 1, 2 of the array:

```
d[1][2]
```

Initialize (without loops):


```
int d[3][2] = {{1, 2}, {4, 5}, {7, 8}};
```

More about 2-Dimensional arrays

A Multidimensional array is stored in a row major format.

A two dimensional case:

➔ next memory element to `d[0][3]` is `d[1][0]`



What about memory addresses sequence of a three dimensional array?

➔ next memory element to `t[0][0][0]` is `t[0][0][1]`

Multidimensional Arrays

- Syntax

```
type array_name[size1][size2]...[sizeN];
```

e.g

```
int a[3][6][4][8];
```

size of array = 3 x 6 x 4 x 8 x 4 bytes

Arrays of Pointers

```
int *x[10];
```

Declares an array of int pointers. Array has 10 pointers.

Assign address to a pointer in array

```
x[2] = &var;
```

To find the value of var,

```
int i = *x[2];
```

Pointer to Pointer


- Declaration
 - Place an additional asterisk

```
double **newbalance;
```

`newbalance` is a pointer to a double pointer.



Single Indirection



Multiple Indirection

Pointer to Pointer contd..

```
#include <stdio.h>

int main() {
    int x, *p, **q;
    x = 10;
    p = &x;
    q = &p;

    printf("%d %d %d\n", x, *p, **q);
    return 0;
}
```

{program: pointers.c}

Dynamic Memory Allocation

- To allocate memory at run time.
- malloc(), calloc()
 - both return a void*
 - you'll need to typecast each time.

```
char *p;  
p = (char *)malloc(1000); /*get 1000 byte space */
```

```
int *i;  
i = (int *)malloc(1000*sizeof(int));
```

Dynamic Memory Allocation contd..

- To free memory
- `free()`
 - `free(ptr)` frees the space allocated to the pointer `ptr`

```
int *i;  
i = (int *)malloc(1000*sizeof(int));  
.  
.  
.  
free(i);
```

Pointers to functions

- A function pointer stores the address of the function.
- Function pointers allow:
 - call the function using a pointer
 - functions to be passed as arguments to other functions

```
return_type (*function_name)(type arg1, type  
arg2...)
```

```
{program: function_pointer.c}
```